

RFQ/2026/64989 : Supply & delivery of sanitary finishing materials to Ambo Secondary and Gazanche Primary schools, Ethiopia

Schedule of Requirements

							Tobe completed by the vendor	
ITEM	ITEM DESCRIPTION	UNOPS minimum technical requirements	INDICATIVE IMAGES	Qty for Ambo	Qty For Gazanche	Total Qty (For Ambo & Gazanche)	Is bid complaint? Bidder	Specification offered by vendor
							YES ☐ NO ☐	Insert Below details of good offered including specification, brand or model offered if applicable.
1	HAND WASH BASIN			5.00	11.00	16.00		brand/model of the item offered : _____
		Testing & Certification: Product quality certificate or relevant international test/certification documentation shall be provided.						
		Size: 1000mm (length) x 435mm (width)						
		Sanitary Fixture: High quality white vitreous china						
		Basin Support: Vitreous china pedestal stand and Heavy-duty concealed angle-iron brackets						
		Waste Fitting: 32 mm chrome-plated pop-up waste fitting, complete with pop-up stopper, operating mechanism, seals, washers, fixing nut.						
		Trap: Chrome-plated brass P-trap with minimum 75 mm water seal.						
		Flexible Connection: Heavy-duty flexible hoses With minimum 4 bar working pressure						
		Isolation Valves: Hot and cold water stop/isolation valves Complete with connection						
		Water Fitting: Chrome-plated single-lever basin mixer tap for hot and cold water supply.						
		Fixings & Accessories: All required fixing and installation accessories, including bolts, washers, seals, connectors, nuts and other components.						
		Compatibility: All supplied components shall be compatible and suitable for the complete assembly						
2	WATER CLOSET			16.00	16.00	32.00		brand/model of the item offered : _____
		Testing & Certification: Product quality certificate or relevant international test/certification documentation shall be provided.						
		WC Pan Type & Material: Wash-down action WC pan manufactured from high-quality white vitreous china.						
		Seat & Cover: Heavy-duty plastic WC seat and cover, hard, smooth, non-absorbent, durable, hygienic, easy to clean and resistant to normal use. Seat shall be front-open design and securely fixed with stainless-steel hinges and protective washers.						
		Cistern: Low-flush vitreous china cistern with 7-9 litre capacity, complete with dual-flush mechanism, fittings, inlet valve, flush valve with all accessories.						
		Flush Mechanism: Chrome-plated flush valve/mechanism with complete internal fittings						
		Flexible Connection: Heavy-duty flexible water supply hose, rated for a minimum working pressure of 4 bar.						
		Shattaf: Chrome-plated handheld bidet spray, complete with wall-mounted holder, flexible hose and dedicated isolation/stop valve.						

		<p>Fixings & Accessories: all required fixing accessories (Bolts, washers, seals, connectors)</p> <p>Compatibility: All supplied components shall be fully compatible with each other and suitable for the complete WC assembly.</p>					
3	TURKISH TYPE SQUAT WATER CLOSETS	<p>Testing & Certification: Product quality certificate or relevant international test/certification documentation shall be provided.</p> <p>WC Pan Type & Material: Turkish-type squat WC pan manufactured from high-quality white vitreous china.</p> <p>Cistern: High-level flush cistern manufactured from durable, corrosion resistant material, complete with inlet/fill valve, flush valve, operating handle/chain, cover and dedicated stop/isolation valve.</p> <p>Water Connection: Heavy-duty water supply connection pipe/hose suitable for the operating water pressure.</p> <p>Flush Mechanism: Complete high-level flushing assembly comprising suitable flush pipe, flush valve, operating handle/chain.</p> <p>Flexible Connection: Heavy-duty flexible water supply hose, rated for a minimum working pressure of 4 bar.</p> <p>Shattaf: Chrome-plated handheld bidet spray, complete with wall-mounted holder, flexible hose and dedicated isolation/stop valve.</p> <p>Fixings & Accessories: all required fixing accessories (fitting, washers, seals, connectors)</p> <p>Compatibility: All supplied components shall be compatible and suitable for the complete assembly</p>		3.00	0.00	3.00	<p>brand/model of the item offered : _____</p>
4	SHOWER UNIT - Accessories	<p>Testing & Certification: Product quality certificate or relevant international test/certification documentation shall be provided.</p> <p>Shower Set: Chrome-plated handheld shower and shower head made of good quality, durable, corrosion-resistant material suitable for hot and cold water supply.</p> <p>Shower mixer: Chrome-plated, wall-mounted hot and cold water mixing valve with control handles, wall connections and escutcheon plates</p> <p>Diverter Valve: Chrome-plated diverter valve for selection between the fixed shower head and handheld shower head</p> <p>Isolation Valves: Hot and cold water stop/isolation valves, complete with suitable connections and fittings.</p> <p>Drainage Channel: Heavy-duty prefabricated fiberglass drainage trench 100 mm (width) by 800 mm (length) with Removable, corrosion-resistant grating/cover.</p> <p>Drain Outlet & Connection: Chrome-plated or suitable drain connection fittings, Centrally located 50 mm drain outlet with minimum 50 mm water seal.</p> <p>Smell Trap: P-smell trap</p> <p>Fixings & Accessories: all required fixing accessories (fitting, seals, connectors)</p> <p>Compatibility: All supplied components shall be compatible and suitable for the complete assembly</p>		2.00	0.00	2.00	<p>brand/model of the item offered : _____</p>
		<p>Testing & Certification: Product Quality certificate or international tests presented</p> <p>Wash Hand Basin: Complete set of handwash basin listed in item 1</p> <p>Water Closet: Complete set of water closet listed in item 2</p> <p>Grab Rail Fixings: 2 stainless-steel grab rails, approximately 600 × 35 mm, slip-resistant grip with Heavy-duty concealed fixing brackets</p> <p>Folding Grab Rail: Blue folding grab rail, approximately 850 mm long, nominal 760 × 305 mm or approved equivalent</p> <p>Folding Rail Mechanism: Heavy-duty concealed fixing/folding mechanism</p>				<p>brand/model of the item offered : _____</p>	

5	SANITARY WARES FOR PHYSICALLY CHALLENGED	Drop-Down Grab Rail: Stainless-steel lever-action hinged drop-down grab rail		5.00	3.00	8.00		
		Drop-Down Rail Fixings: Concealed heavy-duty fixing accessories						
		WC Backrest: Color-contrasted padded backrest suitable for accessible WC use						
		Toilet Cloth Hooks: Suitable toilet cloth hooks						
		Hand Dryer: Automatic hand dryer suitable for toilet facilities						
		Liquid Soap Dispenser: Liquid soap dispenser suitable for toilet facilities						
		Paper Towel Dispenser: Paper towel dispenser suitable for toilet facilities						
		Toilet Tissue Dispenser: Toilet tissue dispenser suitable for toilet facilities						
		Emergency Alarm / Rest Button: Accessible toilet emergency alarm/rest button system with accessories						
		Mirror: Stainless-steel mirror approximately 1000 × 400 mm, suitable for accessible toilet use						
6	SOAP HOLDER	Fixings & Accessories: all required fixing accessories (fitting, seals, connectors)		15.00	16.00	31.00		
		Compatibility: All supplied components shall be compatible and suitable for the complete assembly						
								brand/model of the item offered : _____
		Material: Good-quality white glazed vitreous china						
		Dimension: 150 mm × 150 mm						
		Hygiene: Smooth, non-porous and easy-to-clean surface						
7	TOILET PAPER HOLDER	Fixings & Accessories: all required fixing accessories (brackets, anchors, fasteners)		16.00	16.00	32.00		
		Compatibility: All supplied components shall be compatible and suitable for the complete WC assembly						
								brand/model of the item offered : _____
		Material: Good-quality, Corrosion resistance chrome-plated brass						
8	GLASS MIRRORS	Type: Wall-mounted toilet paper holder		6.00	5.00	11.00		
		Fixings Accessories: all required fixing accessories (brackets, anchors, fasteners)						
								brand/model of the item offered : _____
		Compatibility: All supplied components shall be compatible and suitable for the complete WC assembly						
		Optical Quality: Good optical quality with clear reflection and no visible distortion						
		Dimension: 500 mm × 400 mm						
		Rear Protection: Protective copper backing/coating to rear face						
		Edge Finish: Smooth and safely finished edges						
		Fixings Accessories: all required fixing accessories (clips, screws, anchors, washers)						

		Compatibility: All supplied components shall be compatible and suitable for the complete assembly						
9	FLOOR DRAIN	<p>Material: High-quality Corrosion-resistant, polished stainless steel</p> <p>Grate / Strainer: Removable, corrosion-resistant grating/cover.</p> <p>Hygiene: Hygienic and Easy to clean and maintain</p> <p>Drain Outlet & Connection: Chrome-plated or suitable drain connection fittings with minimum 75mm water seal.</p> <p>Smell Trap: P-smell trap</p> <p>Fixings & Accessories: all required fixing accessories (fitting, seals, connectors)</p> <p>Compatibility: All supplied components shall be compatible and suitable for the complete assembly</p>		11.00	10.00	21.00		brand/model of the item offered : _____
	Total carried to summary USD							

"Note: bidders should submit the Manufacturer's product data sheets /catalogue for each item to to substantiate the technical response of the bidder. In addition, UNOPS will request the recommended vendor to submit returnable samples to UNOPS to confirm compliance with the specification "

	Delivery requirements and Comparative Data Table:							
	UNOPS Requirements		Is quotation compliant? Bidder to complete. YES ☐ Or NO ☐ . Please select either YES or NO & delete the other					
	Delivery time	Bidder shall deliver the goods with in 20 days after Contract signature.	☐ Yes ☐ No					
	Delivery place and Incoterms rules	Bidders should deliver the respective quantities DAP at Ambo secondary and Gazanche Primary Schools as per the below detail: 1. Ambo Secondary School, Ambo city, Oromiya Regional State, Ethiopia 2. Gazanche Primary School Project Gazanche Woreda Central Ethiopia Regional State, Ethiopia	☐ Yes ☐ No					
	TRANSPORTATION , LOADING AND DELIVERY TO SITE	The Supplier shall be responsible for all costs associated with the loading, transportation, handling, delivery of the supplied materials to the designated project site(s). The materials shall be delivered in good condition, complete and ready for use at the specified project location.	☐ Yes ☐ No					
	Consignee details	To be communicated to the awarded vendor during contract signature	☐ Yes ☐ No					
	UNOPS Right to vary requirements	At the time the Contract is awarded, UNOPS reserves the right to vary the quantity of the goods and associated services specified above, provided this does not exceed +/- 20% , without any change in the unit prices or other terms and conditions of the RFQ.	☐ Yes ☐ No					